
BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

### CAPTION

A portion of Section 12, Township 5 South, Range 28 East together with a portion of Sections 6, 7 and 18, Township 5 South, Range 29 East, St. Johns County, Florida, being more particularly described as follows:

From said Point of Bealnning, commence at the Northwesterly of Palm Crest at Nocatee, a plat recorded in Map Book 116, pages 56 through 68, of the Public Records of said county thence South 02°52′57" West along the Westerly line of said plat, 1594.66 feet to the Northeasterly corner of Seabrook Village Phase 1 a plot recorded in Map Book 117, pages 1 through 18, of sold Public Records; thence South 77'31'20" West, along the Northerly line of said Seabrook Village Phase 1, a distance of 396.37 feet to a point on a non-tangent curve concave Easterly having a radius of 74.00 feet; thence Northerly, departing said aiong the Northerly line of said Seebrook Village Phase 1, a distance of 396.37 feet to a point on a non-tangent curve conceve Esterly howing a radius of 740.00 feet; thence Northerly, departing and Northerly line and along the arc of said curve, through a central angle of 104940°, an arc length of distance of North 279350° West, 138.64 feet; thence Northerly 10590° West, 138.65 feet to the point of curvature of a curve conceve Westerly howing a radius of 720.00 feet; thence Northerly along the arc of said curve, through a central angle of 170339°, an arc length of 214.39 feet to the point of curvature of a curve sould arc being subtended by a chord bearing and distance of North 170350° West, 131.65 feet; thence North 18423° West, 542.75 feet to the point of curvature of a curve source Southwesterly thence North 18423° West, 542.75 feet to the point of curvature of a curve source Southwesterly for the 18423° West, 542.75 feet to a point of reverse curvature, said arc being subtended by a chord bearing and distance of North 181276° West, 132.35 feet; thence Northeesterly along the arc of a curve conceve Northeasterly howing a radius of 640.00 feet, through a central angle of 473513°, an arc length of 331.74 feet to the point of Ingency of said curve, said arc being subtended by a chord bearing of said curve, through a central angle of 160500°, an arc length of 331.74 feet to the point of Ingency of said curve, through a central angle of 160500°, an arc length of 231.74 feet to the point of Longency of said curve, through a central angle of 160500°, an arc length of 231.74 feet to the point of Ingency of said curve, through a central angle of 160500°, an arc length of 231.74 feet to the point of Longency of said curve, through a central angle of 160500°, an arc length of 231.74 feet to the point of Longency of said curve, through a central angle of 160500°, an arc length of 231.74 feet to the point of Longency of said curve, through a central angle of 160500°, an arc length of 231.94 feet to the point of Longency recorded in Ufficial Records Book 4271, page 1981, of soid Public Records; thence North 143415. West, along soid Meetstry line, 878.03. feet to the Northwestery comer threes() themce North 973130. East, of the Northwestery comer threes() 473130. East, of Soid Records of Section 1, of soid departing soid Northerly line, 282.74 feet to a point lying on the Southerly line of Section 1, of soid Township 5 South, Range 28 East; thence North 8791231 "East, along soid Southerly line, 224.45 feet to the Southeosterly corner thereof; thence North 011010" West, along the Easterly line of soid Section 1, a distance of 11.73.6 feet; thence Due East, alongraphing soid Easterly line, 1169.37 feet; thence South 1943.38" East, 2685,68 feet to a point lying on the Westerly line of Greenway Miligation Area "A", as described and recorded in Official Records Book 2629, page 721, of said Public Records; thence South 18'27'05" East, along said Westerly line, 1299.67 feet to the Southwesterly corner thereof; thence South 20'30'14" East, 1360.95 feet to the Point of Beginning.

Containing 205.39 acres more or less



### CERTIFICATE OF APPROVAL AND ACCEPTANCE BOARD OF COUNTY COMMISSIONERS

This is to certify that this plat of Seabrook Village Phase 2 has been approved and accepted by the Board of County Commissioners of St. Johns County, Florida on this South day of EXEMPLE 2024. This acceptance shall not be deemed as requiring construction or maintenance by St. Johns County of any got of page 50 days subdivision.

Chair, Board of County Commissioners

#### SURVEYOR'S CERTIFICATE

Know all man by these presents, that the undersigned, being currently licensed and registered by the State of Florida one of Principalmost Surveyor and Mapper, does hereby certify that the above plat was made under the undersigned's responsible direction and supervision, and that the plat complies with all of the survey requirements of Part I; Chapter 177, Florida Statutes.

Signed and sealed this 12 Day of February
Bob L. Pittman
Brofessional Surveyor and Mapper

State of Florida Registered Surveyor No. 4827 ETM SURVEYING & MAPPING, INC.

Jacksonville, Florida 32258 Certificate of Authorization L.B. 3624

### CONSENT AND JOINDER

The undersigned hereby certifies that it is the holder of the mortgage, lien or other encumbrance recorded in Official Records Book 4021, Page 1029, of the Public Records of St. Johns County, Florida ("Mortgage"), encumbering the lands described in the caption hereon. The undersigned hereby joins and consents to the dedications by the Owner of the lands described in the Adoption and Dedication section herein, and agrees that the Mortagae shall be subordinated to said dedications

U.S. BANK NATIONAL ASSOCIATION a national banking association, as Trustee Rick Jostu Tolomato Community Development District, a local unit of special purpose Government established pursuant to Chapter 190, Florida Statutes, as authorized agent Rick Foster Mildi ZTRan Witness Richard T. Ray John M. White STATE OF FLORIDA, COUNTY OF DUVAL STATE OF FLORIDA, COUNT OF DOVAL.

The foregoing instrugent was polynowledged before me by means of [V] physical presence or [\_] online notarization, this \$\frac{1}{2}\$. day of \$\frac{1}{2}\$. Distance V\_2 \text{.} by Richard 1, Ray, Chair of the Telomato Community Development District, a local unit of special purpose Covernment established pursuant to Chapter 190. Florida Statutes, as authorized agent of U.S. Bank National Association, a national banking association, as behalf of the bank, who [V\_1] is personally known to me or who [\_\_] has produced \_\_\_\_\_\_. Sua EN 1, Ilu

My Commission Expires WW9, 2025 Notary Public, State of Florida at Large

Tina E M. (e./
Printed Name wion Number HA 092371 TINA E. MILLER Commission # HH ng2371 Expires May 9, 2025

#### CERTIFICATE OF APPROVAL- GROWTH MANAGEMENT DEPARTMENT

Middel Holkran
Director of the Growth Management Department

#### CERTIFICATE OF REVIEW-COUNTY ATTORNEY

This is to certify that this plat of Seabrook Village, Phase 2 has been examined and reviewed by the Office of the St. Johns County Attorney on this 200 day of 180 100 2024.

Office of the County Attorney

#### CERTIFICATE OF CLERK

his is to certify that this plot has been examined and approved and that it complies in long with the regularments of Part 1. Character 177, Richards Statutes, and is recorded in Map Book 124. Pege(s) of the public records of St. Johns County, Florido on this 124. Pege(s) 125. Pege(s) 125.

(**3** 

Tolomato Community Development District a local unit of special—purpose government established pursuant to Chapter 190, Florida Statutes Melle Witness John M. White

STATE OF FLORIDA, COUNTY OF DUVAL

The foregoing instruggest was advantaged before me, by means of [27] purplied presence or [27] antihe networked in the St. day of thought [27] and 2024, by Richard 1 Ray, Ching Community Development District, a local unit of special-purpose government established pursuant for Chapter 109, Rarido Statutes, on behalf of the Folomato Community Development District, who [27] is

personally known to me or who [\_] has produced . My Commission Expires MAY 9, 2025 Notary, Public, State of Flacida lina E Miller TINAE MILLER Commission Number ##09237/ Commission # HH 0923 Expires Hay 9, 2025 Booded Thru Troy Fain Insu Commission # HH 092371

### CERTIFICATE OF PLAT REVIEW

This is to certify that this plat has been reviewed for conjugation Part 1, Chapter 177, Florida Statues, by the Office of the County Surveyor for St. Johns Science, Florida, on this \_\_Go\_\_ day of FEBRURAL, \_\_2024.

Doneel P. Buch Donald A. Bradshaw, P.S.M., County Surveyor Professional Surveyor and Mapper State of Florida Registered Surveyor No. 5513



## MAP BOOK / LYPAGE

SHEET 1 OF 25 SHEETS

#### ADOPTION AND DEDICATION

This is to certify that Sanoc Company, LLC, a Delaware limited liability company and Tolomato Community Development District, a local unit of special-purpose government established pursuant to Chapter 1916. Florida Statutes ("Owners"), are the lawful owners of the lands described in the caption shown hereon which shall hereafter be known as SEABROOK MILLAGE PHASE 2, and have caused the same to be surveyed and subdivided, and that this plat, made in accordance with a said survey, is hereby adopted as the true and

The road right of ways shown on this plat are hereby irrevocably dedicated to the county of St. Johns, Its successors and assigns, in perpetuity for maintenance of the rights of way, sidewalks, and drainage improvements which are now or hereafter constructed thereon.

All drainage easements and unobstructed drainage, access and maintenance easements as shown on this All drainage easements and unobstructed drainage, access and maintenance easements as shown on this plot said permit the county of St. Juhns, it is successed and assigns, to descharge all storm water which shown hereon, which may be dedicated to a property owners' association, or other such entity or person as will assume all obligation of maintenance and operation thereof under the plot of the such entity or person as will assume all obligation of maintenance and operation thereof under the plot.

Tract "C" ("Open Space), Tracts "D", "F", "H", "J", "L", "M", "O", "R", "U" and "Y" (Landscape, Open Space & Drainage), Tracts "E", "G", "T", "K", "N", "O", "T" and "M" (Stormwater Management Facility), Tracts "P", "E" in and "K" (Neighborhood Park), Tract "Y" (Stormwater Management Facility & Neighborhood Park) and Tracts "I, 2, 3, 4, 5, 6, 7, 8 and 9 (Conservation Area) are hereby retained by the undersigned Owners, their successors and assigns; provided however, the undersigned owners reserve the right to convey title to said tracts to an entity or person, including without limitation, a property owners' association, a municipal services taxing unit, community development district, or other such entity or person.

All assements shown on this plot, other than those specifically dedicated herein, are and shall remain privately owned and the sole and exclusive property of the undersigned Owners, their successor and assigns. The undersigned Owners retain the obligation for maintenance of these privately owned essements; provided however, the undersigned Owners reserve the right to assign the obligation for maintenance of saids nowers, the a property owners' association or other such entity or person as will assume all obligation of maintenance and operation thereof under the plat.

Those easements designated as "2.5' Access Easements" are hereby irrevocably dedicated to JEA, its successors and assigns, for its non-exclusive use in conjunction with providing access and maintenance for meters associated with water/sewer utilities.

Those easements designated as "Unobstructed Underground JEA Utility Easements" are hereby irrevocably dedicated to JEA, its successors and assigns, for its non-exclusive use in conjunction with its underground

Tract "A" (Pump Station Tract) is hereby irrevocably and without reservation dedicated to JEA, its successors and assigns, in fee simple.

Tract "B" (Landscape Buffer Tract) is hereby retained by the undersigned Owners, their successors and assigns; provided however, the undersigned Owners reserve the right to convey title to said tract to an entity, including without limitation, a property owners' association, or other third party that assumes all obligation of maintenance and operation thereof under this plat. Such tract shall be held and used by Owners, their successors and assigns, as a landscape buffer for the adjacent pump station.

Owners hereby dedicate to JEA, its successors and assigns, a non-exclusive easement on, upon, over, and under the Landscape Buffer Tract, for water reuse, water, sewer, and other public utilities and ingress and egrass in connection with JEA's use of Tract 1.\* ("Quarp Station Tract).

Owners, their successors and assigns, shall forever release, discharge, indemnify LEA and save it harmless from suits, actions, domages, liability and expenses that may be incurred in connection with property damage or personal injury, or any other damage arising from or out of any occurrence in, upon, at or from the Landscape Buffer Tract, or any part thereof, except to the extent drising from or incidental to JEA's use of Tract "A" (Fump Station Tract) or JEA's assement upon the Landscape Buffer Tract. Own Station Tract) or JEA's assement upon the Landscape Buffer Tract. Own Station Tract) or JEA's assement upon the Landscape Buffer Tract. Own Station Tract) and captioned thereon. JEA's shall restore and/or replace any landscaping, again with the land described and captioned hereon. JEA's shall restore and/or replace any landscaping, again cover, and/or irrigation facilities disturbed by WEA in the exercise of its easement rights upon the Landscape Buffer Tract with like—kind materials; provided however, that to the extent replacement of items such as large or mature trees is not reasonably feasible, JEA shall replace same with the class reasonable

Those easements designated as "FPL Easements" are hereby irrevocably dedicated to the Florida Power & Light Company, its successors and assigns, for its non-exclusive use in conjunction with its midderground electrical system. The "2.5" Access Easements" are for accessing the "FPL Easements" to maintain, repair electrical system. In a '25' Access Learnests are for accessing the TPL Learnests to maintain, repair and replace the electric utility improvements located within those elearnests, together with the right of the property of the control of the property of the control of the property of the control of the property without the written consent of the Owner, its successors and assigns. Additional utility elearnests may be granted to Florida Power & Light Company over additional portions of the plat as needed, the rights reserved hereby for the construction, installation, maintenance and operation of electrical service.

duly elected officers, acting by and with the a	uthority of its board of directors.
Witness Rick Foster	O W N E R Sonoc Company, LLC a Delaware limited liability company
Printed Name	BY: Hay D. Haren Name Haray D. Francis
Witness John M. White	Title: J. T.
Printed Name	

### STATE OF FLORIDA, COUNTY OF DUVAL

we separately known to me or mine separately known to me or mi



My Commission expires May 9, 2025

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

### UNPLATTED LANDS OF SECTION 1 TOWNSHIP 5 SOUTH RANGE 28 EAST UNPLATTED LANDS OF SECTION 6 TOWNSHIP 5 SOUTH RANGE 29 EAST N: 2093107.2117 E: 518983.0630 UNPLATTED LANDS OF SECTION 7 TOWNSHIP 5 SOUTH RANGE 29 EAST UNPLATTED LANDS OF SECTION 12 TOWNSHIP 5 SOUTH RANGE 28 EAST 100 (20) . 15 19 22 (21) -พดลากเราระวาน 23 CONSERVATION EASEMENT PARCEL "A" O.R.B. 3117, PAGE 747 24 9 N26:37'30"w - 271 46' 8 N90'00'00"V 8/ 81 2 7 UNPLATTED LANDS OF UNPLATTED LANDS OF SECTION 7 TOWNSHIP 5 SOUTH RANGE 29 EAST (6) (5) UNPLATTED LANDS OF SECTION 13 TOWNSHIP 5 SOUTH RANGE 28 EAST UNPLATTED LANDS OF SECTION 18 TOWNSHIP 5 SOUTH RANGE 29 EAST 4 TRACT 10' FPL ESHT. PALM CREST AT NOCATEE N.B. 116, PGS, 56-68 237 AGEGG (5.500) ... (3) SEÅBROOK VILLAGE PHASE 1 MB. 117, PGS. 1–18 STREET

### MAP BOOK 24PAGE ?

SHEET 2 OF 25 SHEETS

- Bearings shown are referenced to the State Plane coordinates as indicated hereon and are based

NOISE when are referenced to the State Plane coordinates as indicated hereon and are based 1) Buth the Waterly line of Pany and 1). The plane was the Noortee as being South 022257 West.

2) Coordinates based on CFS chrest-tit Noortee as being South 022257 West.

2) Coordinates based on CFS chrest-tit Noortee as the Noortee South South

Service Commission.

5) Those certain assemble denoted as "2.5" Access Essements" are reserved for the benefit, on a non-exclusive basis, for the Owner and the Owner's specific successors and assigns. The Owner is permitted to assign lat rights under such 2.5" Access Essement;

6) Tracts 1, 2, 3, 4, 5, 6, 7, 8 and 9 are subject to a conservation easement pursuant to Section 704-05. Priorial statutes in flower of the St. Johns River Water Menagement District. Any activity in accessment is prohibited. The conservation easement are prohibited. The conservation easement are prohibited.

uses:

(a) Construction or placing buildings, roads, signs, billboards or other advertising, utilities or other structures on or above the ground.

(b) Dumping or placing soil or other substance or material as landfill or dumping or placing soil or trash, waste or unsightly or offensive materials.

(c) Removing, otertrying or trimming trees, shrubs, or other vegetation.

(d) Exerceting, dredging or removing loam, peat, gravel, soil, rock or other material substances in such a manner as to drieft the surface.

(3) Executing, areaging or removing room, pest, gravel, soil, rock or other material substances in classification, and are considered the surface. Surface user ess. Office the surface. Surface user ess. Office the surface of the conservation of the conservation of rish and wildlife habitat preservation.

(6) Acts for uses detrimental to such retaint or land or water areas.

(7) Acts for uses detrimental to such retaint or land or water areas.

(8) Acts or uses detrimental to such retaint or land or water areas.

(9) Acts or uses detrimental to such retaint or land or water areas.

(9) Acts or uses detrimental to such retaint or land or water areas.

(9) Acts or uses detrimental to such retain or land or water areas.

(9) Acts or uses detrimental to such retain or land the gravity of the such as a such


### LEGEND

DENOTES SET P.R.M., 4"X4" C.M.
STAMPED L.B. 30524,
UNLESS OTHERWISE NOTED
DENOTES FOUND P.R.M., 4"X4" C.M.
STAMPED L.B. 39524,
UNLESS OTHERWISE NOTED
DENOTES P.C.P., STAMPED L.B. 3524,
PERMANENT REFERENCE MONUMENT
CONCRETE MONUMENT PERMANENT CONTROL POINT LICENSED BUSINESS RADIUS CENTRAL ANGLE ARC LENGTH ARC LENGTH
CHORD BEARING
CHORD DISTANCE
POINT OF CURVATURE
POINT OF TANCENCY
POINT OF CURVE
POINT OF CURVE
POINT OF COMPOUND CURVATURE
POINT OF COMPOUND CURVATURE
NON-FANDAL
NON-FANDAL
NON-TANCENT TARIJI ATED CURVE DATA TABULATED LINE DATA TABULATED LINE DATA RIGHT OF WAY CENTERLINE MAP BOOK PAGE OFFICIAL RECORDS BOOK FLORIDA POWER & LIGHT EASEMENT ACCESS EASEMENT EASEMENT NORTH AMERICAN VERTICAL DATUM STREET NAME CHANGE POINT

MATCHLINE

SHEET REFERENCE NUMBER

(3)



LOT


10' FPL FSMT

LOT

FPL EASEMENT DETAIL NOT TO SCALE

SEABROOK VILLAGE PHASE 2

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



MAP BOOK 24 PAGE 3

SHEET 3 OF 25 SHEETS

SEE SHEET 2 FOR NOTES



CURVE TABLE						
CURVE RADIUS CENTRAL ANGLE			ARC LENGTH	CHORD BEARING	CHORD DISTANCE	
C1	700.00*	10'49'40"	132.29'	N07*03'50"W	132.09'	
C2	760.00'	17'03'39"	226.31'	N1010'50"W	225.47'	
C24	660.00'	10'49'40"	124.73'	S07'03'50"E	124.54	
C25	635.00'	10'49'40"	120.00'	S07'03'50"E	119.82	
C26	800.00'	17'03'39"	238.22'	N1070'50"W	237.34	
C27	825.00'	17'03'39"	245.66	N1010'50"W	244.75	

LEGEND	
	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624
	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R	RADIUS
	CENTRAL ANGLE
L	ARC LENGTH
CB	CHORD BEARING
CH	ARC LENGTH CHORD BESTANG CHORD DISTANCE POINT OF CURVATURE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
	POINT ON CURVE
	POINT OF COMPOUND CURVATURE
(NR)	POINT OF REVERSE CURVATURE NON-RADIAL
	NON-TANGENT
	TABULATED CURVE DATA
	TABULATED LINE DATA
R/W	RIGHT OF WAY
	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM

STREET NAME CHANGE POINT SHEET REFERENCE NUMBER

LEGEND


GRAPHIC SCALE IN FEET 1"= 50'


ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

PREPARED BY:

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

### MATCHLINE SEE SHEET 5





SHEET 4 OF 25 SHEETS

SEE SHEET 2 FOR NOTES



CURVE TABLE							
CURVE RADIUS CENTRAL ARC LENGTH CHORD BEARING CHORD DISTANCE							
C3	600.00'	39'39'34"	415.31'	N38'32'26"W	407.07'		
C28	640.00'	26'54'20"	300.54	N32'09'50"W	297.78'		


	LINE TABLE	
LINE	BEARING	LENGTH
L2	S7117'21"W	25.00'

LECEND


DENOTES SET P.R.M., 4"X4" C.M.
STAWFED LESP 528,
STAWFED LESP 528,
STAWFED LESP 528,
DENOTES FORD P.M., 4"X4" C.M.
STAWFED LESP 528,
DENOTES FORD P.M., 4"X4" C.M.
STAWFED LESP 528,
DENOTES FORD P.M., 4"X4" C.M.
STAWFED LESP 528,
DENOTES FORD SET 528,
P.R.M.
DENOTES FOR



PREPARED BY:



BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



## MAP BOOKIZY PAGE 6

SHEET 6 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		С	URVE TAE	LE	
CURVE	CHORD DISTANCE				
C3	600.00'	39*39'34"	415.31'	N38'32'26"W	407.07'
C4	600.00'	47'36'13"	498.50'	N34*34'07"W	484.29'
C29	640.00	12'45'14"	142.46'	N51'59'36"W	142.17'
C30	665.00	12'45'14"	148.03'	N51*59'36"W	147.72"
C31	560.00'	47'36'13"	465.27'	S34*34'07"E	452.00'
C32	535.00	47'36'13"	444.50	S34*34'07"E	431.82'

DEFORM DENOTES SET P.R.M., 4"X4" C.M.
STAMPED LLB, 3824, M.
UNLESS OTHERWISE NOTED
DENOTES FORM? R.R.M., 4"X4" C.M.
DENOTES FORM? R.R.M., 4"X4" C.M.
DENOTES P.R.M.
P.P.P.
PERMANENT CONTROL POINT
L.B.
L. CARLES BUSINES
R. RADUS
ANGLE
L. ROC LENGTH
CHE OF OTHER SET OF THE SET

0 25 50 100 GRAPHIC SCALE IN FEET

SEABROOK VILLAGE PHASE 2 MAP BOOK/24 PAGE 7 BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA. SHEET 7 OF 25 SHEETS SEE SHEET 2 FOR NOTES MATCHLINE SEE SHEET 8 40 R=1040.00'-Δ=16'05'00" L=291.94' CB=N02'43'30"W CH=290.98 2.5' AF-CURVE TABLE CENTRAL ANGLE ARC LENGTH RADIUS CHORD CURVE CHORD BEARING CONSERVATION TRACT "F" (LANDSCAPE, OPEN SPACE & C5 1000.00 16'05'00" 280.71 N02'43'30"W 279.79 16'05'00" 269.48' S02'43'30"E 268.59' 7 (PUBLIC 80' 16'05'00" 262.46' S02'43'30"E 935.00' SHEET 261.60' NATURAL VEGETATIVE TRAIL SEE TRACT 1 (CONSERVATION AREA) UNPLATTED LANDS OF MATCHLINE SECTION 7 -10' FPL-E TOWNSHIP 5 SOUTH RANGE 29 EAST DENDIES SET P.R.M., 4"X4" C.M.
STAMPED LE \$1824.


NIMESS O'HERWISE NOTED
DENDIES FOUND P.R.M., 4"X4" C.M.
STAMPED LE, \$1824.

UNLESS O'HERWISE NOTED
DENDIES FOLE, \$1824.

UNLESS O'HERWISE NOTED
DENDIES FOLE, \$1846.

DENDIES FOLE, \$1846.

PERDIES TO CONTROL PROVINCENT
DENDIES TO CONTROL POINT
LICENSED BUSINESS
RADIUS ⊡ P.R.M.
C.M.
P.C.P.
L.B.
R △ L
CB
CH
P.C.C.
P.R.C.
(NR/T
CI
LI/W
C/L.B.
P.C.C.
P.R.C.
O.R.B.
E
ESMID.
NAVD LICENSED BUSINESS
RADIUS
CENTRAL ANGLE
ARC LENGTH
CHORD BEARING
CHORD DISTANCE
POINT OF CURVATURE
POINT OF TANGENCY
POINT OF TANGENCY
POINT OF TANGENCY
POINT OF REVERSE CURVATURE
NON-REVERSE CURVATURE
NON-RADIAL
NON-TANGENT NON-TANGENT RIGHT OF WAY CENTERLINE MAP BOOK PAGE OFFICIAL RECORDS BOOK
FLORIDA POWER & LIGHT EASEMENT
ACCESS EASEMENT NORTH AMERICAN VERTICAL DATUM STREET NAME CHÂNGE POINT MATCHLINE 40' SHEET REFERENCE NUMBER -NATURAL VEGETATIVE UPLAND BUFFER MATCHLINE MATCHLINE SEE SHEET 6 SEE SHEET 5 PREPARED BY: ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 GRAPHIC SCALE IN FEET 1"= 50' CERTIFICATE OF AUTHORIZATION NO. L.B. 3624



# MAP BOOKIZY PAGE 8

SHEET 8 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		С	URVE TAB	LE	
CURVE	RADIUS	CENTRAL ANGLE			CHORD DISTANCE
C5	1000.00'	16'05'00"	280.71'	N02'43'30"W	279.79'
C6	1000.00'	3013'00"	527.38'	N09'47'30"W	521.29'
C33	960.00'	16'05'00"	269.48'	S02'43'30"E	268.59'
C34	935.00'	16'05'00"	262.46'	S02'43'30"E	261.60'
C35	25.00'	73'22'57"	32.02'	S77'27'42"E	29.88'
C36	25.00'	9518'10"	41.58'	S65'43'22"W	36.95'
C37	1040.00'	16'45'15"	304.11'	N03'03'37"W	303.03'
C38	1040.00'	10'28'33"	190.15'	N16'40'31"W	189.88'
C39	1065.00'	10'44'36"	199.70'	N16'47'00"W	199.40'

	LINE TABLE			
LINE	LINE BEARING			
L7	S40'46'14"E	21.89'		
L8	N58'38'37"E	31.23'		
L9	N80'08'32"E	15.00'		
L10	S5610'04"E	25.37'		
L11	S4215'48"E	20.05'		
L12	S38'54'21"W	14.37'		
L13	S14'41'51"E	11.16'		
L14	S19'05'18"E	13.18'		
L15	S72*35'08"W	21.11'		
L16	S87'48'42"W	11.12'		

SHEET REFERENCE NUMBER

3

PREPARED BY:

ETM SURVEYING & MAPPING, INC.

14775 OLD ST. AUGUSTINE ROAD

14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

### SEABROOK VILLAGE PHASE 2 BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA. MATCHLINE SEE SHEET 2 N32'42'15"E 32.52'-TRACT 9 (CONSERVATION AREA) TRACT 1 WETLANDS (CONSERVATION AREA) WETLANDS WETLANDS MATCHLINE SEE SHEET 25 -TRACT "J" (LANDSCAPE, OPEN SPACE & -- S35°23'23"E 21.08' DRAINAGE) -S14'30'47"W ·S57·32'00"1 -N06'46'10"W 36.60' 25.22' SHEET TRACT "I" (STORMWATER MANAGEMENT FACILITY) DRAINAGE, ACCESS & MAINTENANCE ESMT -S65'06'00"W 25.00' NATURAL VEGETATIVE SHEET -APPROXIMATE 10' FPI -F TRACT "M" (LANDSCAPE, OPEN SPACE & DRAINAGE) TRACT 1 (CONSERVATION AREA) TRACT 7 WETLANDS (CONSERVATION AREA) TRACT "H" (LANDSCAPE, OPEN SPACE & DRAINAGE) UNPLATTED LANDS OF SECTION 7 TOWNSHIP 5 SOUTH RANGE 29 EAST MATCHLINE SEE SHEET 8

MAP BOOK/24 PAGE 9

SHEET 9 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

CURVE TABLE					
CURVE			CHORD DISTANCE		
C6	1000.00"	3013'00"	527.38'	N09'47'30"W	521.29'
C38	1040.00*	10'28'33"	190.15	N16*40'31"W	189.88'
C39	1065.00'	10'44'36"	199.70'	N16°47′00"W	199.40'
C40	1040.00	2'59'13"	54.22'	N23'24'24"W	54.21
C41	25.00'	9917'38"	43.33'	S30'24'26"W	38.10'
C42	25.00'	76"26'51"	33.36'	S65*40'41"W	30.94
C312	1040.00	1'06'07"	20.00'	N21*21'44"W	20.00'

LINE TABLE						
LINE	LENGTH					
L17	S81'39'47"E	30.02'				
L18	S86"10'46"E	26.05'				
L19	S09"16'59"E	5.60'				
L20	S35*40'05"E	23.19'				
L21	S4213'37"E	29.90'				
L22	N70'06'28"W	29.51'				
L23	S59'26'41"W	32.00'				
L24	N76'05'54"W	22.87'				
L25	S27'27'15"W	12.09'				
L26	N8815'28"W	24.51				
L58	S69"11'19"W	20.00'				
L59	S20'48'41"E	24.03'				


LEGEND	
	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
=	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624, UNLESS OTHERWISE NOTED
	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R.	RADIUS
Δ	CENTRAL ANGLE
L	ARC LENGTH
CB	CHORD BEARING
	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P. I.	POINT OF TANGENCY POINT ON CURVE
P.O.C.	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF COMPOUND CONVATORE
	NON-RADIAL
	NON-TANGENT
	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
	CENTERLINE
м.в.	MAP BOOK
	PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
	EASEMENT
	NORTH AMERICAN VERTICAL DATUM
-+-	STREET NAME CHANGE POINT
	MATCHLINE
(3)	SHEET REFERENCE NUMBER


PREPARED BY:

ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

GRAPHIC SCALE IN FEET 1"= 50'

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.





SHEET 10 OF 25 SHEETS

SEE SHEET 2 FOR NOTES



CURVE TABLE						
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE	
C133	25.00'	75'31'21"	32.95'	S52'42'40"E	30.62'	
C134	55.00'	48'46'09"	46.82'	N66'05'16"W	45.41'	
C135	55.00'	106'48'28"	102.53	N11*42'02"E	88.31'	
C136	55.00'	71'22'44"	68.52'	S7912'22"E	64.17'	
C137	55.00'	28'34'00"	27.42'	S29"14'00"E	27.14'	
C138	25.00'	51'32'44"	22.49'	S52'59'24"W	21.74	
C139	25.00'	6'00'18"	2.62'	S3013'11"W	2.62'	
C140	25.00'	45'32'26"	19.87	S55'59'33"W	19.35'	
C141	25.00'	84'32'58"	36.89'	S5918'24"W	33.63'	
C142	50.00'	80.57.53"	70.66*	S81'16'04"E	64.92'	
C143	50.00'	80'41'03"	70.41'	S81'24'29"E	64.73	
C144	50.00'	016'50"	0.24'	S40'55'32"E	0.24	

LINE TABLE				
LINE	BEARING	LENGTH		
L31	S15'24'26"E	15.08'		
L32	N65'39'13"W	2.78'		
L33	N78'25'07"W	19.47'		
L34	N31'45'00"W	35.67'		

LEGEND

LEGENU	
⊡	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R	RADIUS
A	CENTRAL ANGLE
	ARC LENGTH
CH	CHORD BEARING
	CHORD DISTANCE
	POINT OF CURVATURE POINT OF TANGENCY
	POINT OF TANGENCY POINT ON CURVE
	POINT OF COMPOUND CURVATURE POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
	NON-TANGENT
	TABULATED CURVE DATA
	TABULATED LINE DATA
	RIGHT OF WAY
C/L M.B.	CENTERLINE MAP BOOK
	PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
-	STREET NAME CHANGE POINT
	MATCHLINE
(3)	SHEET REFERENCE NUMBER

PREPARED BY:



BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

## MAP BOOK/LYPAGE!

SHEET 11 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

MATCHL	INE SEE SHEET 12 15342700 E 22.05 357
	INE SEE SHEET 12  357  N4141'54'E 25.99'  N750300'E 160.00'  N750300'E 160.00'
TRACT 5 (CONSERVATION AREA)  WETLANDS  PALM BREEZE MITIGATION ARE ORB. 4094 PG. 180	NATURAL MEGETATIVE  OFLAND BUFFER  N7503'00'E 160.00'  2.5' AE-1-3  2
UNPLATTED LANDS OF SECTION 7 TOWNSHIP 5 SOUTH RANGE 29 EAST	TRACT 7 (CONSERVATION AREA)  WETLANDS  WETLAND
\	MATCHLINE SEE SHEET 10

CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C17	500.00'	19'30'00"	170.17'	S24'42'00"E	169.35
C77	475.00'	5'57'30"	49.40'	N31*28'15"W	49.37'
C78	475.00'	9'20'00"	77.38'	N23'49'30"W	77.29'
C79	475.00'	412'30"	34.89	N17'03'15"W	34.88'
C151	25.00'	76'08'54"	33.23'	N03'37'27"E	30.83'

LEGEND	
⊡	DENOTES SET P.R.M., 4"X4" C.M. STAMPED L.B.#3624.
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R	RADIUS CENTRAL ANGLE
A	ARC I FNGTH
	CHORD BEARING
	CHORD DISTANCE
	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
	POINT ON CURVE
P.C.C.	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
ΝZŤ	NON-TANGENT
	TABULATED CURVE DATA
	TABULATED LINE DATA
R/W	RIGHT OF WAY
	CENTERLINE
м.в.	MAP BOOK
PG.	PAGE
O.R.B.	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT FASEMENT
AE	ACCESS FASEMENT
FSMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
	SHEET REFERENCE NUMBER
(3)	SHEET REFERENCE NUMBER

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

# MAP BOOKILY PAGE 12

SHEET 12 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		С	URVE TAE	BLE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C9	500.00'	36'48'00"	321.14'	N28'28'00"W	315.65
C16	715.00'	24*23'00"	304.28'	S22'15'30"E	301.99
C51	540.00'	36'48'00"	346.83'	S28'28'00"E	340.90'
C52	560.00'	36*48'00"	359.68'	S28'28'00"E	353.53'
C53	560.00'	0'52'46"	8.59'	S46'25'37"E	8.59'
C54	560.00'	6'04'26"	59.36'	S42'57'01"E	59.34'
C55	560.00*	5'33'16"	54.29'	S37'08'11"E	54.27
C56	560.00'	5'38'07"	55.08	S31'32'30"E	55.06'
C57	560.00'	5'43'06"	55.89'	S25°51'54"E	55.87'
C58	560.00'	5'51'48"	57.31'	S20'04'27"E	57.28'
C59	560.00'	6'09'24"	60.18'	S14'03'50"E	60.15'
C60	560.00'	0.55'08"	8.98'	S10°31'34"E	8.98'
C64	690.00'	4"50'50"	58.37	S12'29'25"E	58.36'
C65	690.00'	5'49'50"	70.22'	S17'49'45"E	70.19'
C66	690.00'	5'49'50"	70.22'	S23'39'35"E	70.19'
C67	690.00'	5'49'50"	70.22'	S29'29'25"E	70.19'
C68	690.00'	2'02'40"	24.62'	S33°25'40"E	24.62'
C69	740.00'	3'48'40"	49.22'	S11'58'20"E	49.21'
C70	740.00'	4'34'20"	59.05	S16'09'50"E	59.04
C71	740.00'	4'34'20"	59.05	S20'44'10"E	59.04
C72	740.00	4'34'20"	59.05	S2518'30"E	59.04
C73	740.00'	4'34'20"	59.05	S29'52'50"E	59.04*
C74	740.00'	217'00"	29.49'	S3318'30"E	29.49'
C80	25.00'	31'07'27"	13.58'	S23'24'59"W	13.41'

LEGEND	
⊡	DENOTES SET P.R.M., 4"X4" C.M. STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
-	STAMPED L.B.#3624.
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
C.M.	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R	RADIUS
£	CENTRAL ANGLE ARC LENGTH
CP.	CHORD BEARING
	CHORD DISTANCE
P.C.	POINT OF CURVATURE
PT	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
P.C.C.	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
	NON-RADIAL
	NON-TANGENT
	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
C/L	CENTERLINE
M.B. PG.	MAP BOOK PAGE
O.R.B.	OFFICIAL RECORDS BOOK
CR.D.	FLORIDA POWER & LIGHT EASEMENT
AF.	ACCESS FASEMENT
	EASEMENT
	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHINE CHANGE FORM
3	SHEET REFERENCE NUMBER
9	STILL I NEFERENCE NUMBER

PREPARED BY:


ETM SURVEYING & MAPPING, INC.

14775 OLD ST. AUGUSTINE ROAD


JACKSONVILLE, FL 32258 (904) 642-8550

CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

GRAPHIC SCALE IN FEET



BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



TRACT LEGEND				
TRACT NAME	USEAGE			
TRACT "A"	PUMP STATION TRACT			
TRACT "B"	LANDSCAPE BUFFER TRACT			
TRACT "C"	OPEN SPACE			

	LINE TABLE	
LINE	BEARING	LENGTH
L47	N27'25'00"W	45.00'
L48	N62*35'00"E	45.00°
L49	N27'25'00"W	45.00'
L50	N62'35'00"E	45.00'
L51	S27'25'00"E	13.25'
L52	N62'35'00"E	75.08'
L53	N27*25'00"W	65.00'
L54	N62'35'00"E	74.70'



# MAP BOOK 124 PAGE 13

SHEET 13 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		CI	JRVE TAB	LE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C10	100.00'	72'39'00"	126.80'	N63'44'30"W	118.47'
C11	985.00'	7'47'00"	133.81*	N23*31'30"W	133.70'
C60	560.00'	0.55'08"	8.98'	S10*31'34"E	8.98'
C61	25.00'	78'27'47"	34.24'	N4917'53"W	31.62'
C62	25.00'	11'32'13"	5.03'	S85'42'07"W	5.03'
C63	25.00'	90'00'00"	39.27'	S34'56'00"W	35.36'
C81	25.00'	79'23'03"	34.64'	N49'45'32"W	31.93'
C82	130.00'	24'38'47"	55.92'	S77'07'40"E	55.49'
C83	130.00'	30'45'00"	69.77'	S49"25'46"E	68.94'
C84	130.00'	6'38'16"	15.06'	S30'44'08"E	15.05'
C85	70.00'	66'41'21"	81.48'	S66'43'19"E	76.95
C86	1015.00*	1'34'08"	27.79'	S26*37'56"E	27.79'
C87	1015.00	2'46'05"	49.04'	S24"27"49"E	49.03'
C88	1015.00'	2'46'05"	49.04'	S21'41'44"E	49.03'
C89	1015.00'	0'40'41"	12.01'	S19'58'21"E	12.01'
C90	955.00'	1'57'00"	32.50'	S26'26'30"E	32.50'
C91	955.00*	3.36,00,	60.00'	S23'40'00"E	59.99'
C92	955.00'	2'14'00"	37.22'	S20'45'00"E	37.22
C152	25.00'	65'55'36"	28.77'	N47"15'02"W	27.21'
C153	25.00'	50'52'27"	22.20'	N39'43'28"W	21.48'
C154	25.00'	15'03'09"	6.57'	N72*41'16"W	6.55
C274	60.00'	40'06'23"	42.00'	N59'52'48"E	41.15'
C275	60.00'	1'48'23"	1.89'	N40'43'48"E	1.89'
C276	60.00'	3818'00"	40.11'	N60'47'00"E	39.37
C277	60.00'	72'39'00"	76.08	S63'44'30"E	71.08'
C278	60.00'	30'51'04"	32.31	S84*38'28"E	31.92'
C279	60.00'	25'05'47"	26.28	S56'40'02"E	26.07'
C280	60.00'	16'42'09"	17.49'	S35'46'05"E	17.43'
C281	825.00'	7'47'00"	112.07'	S23'31'30"E	111.99'
C282	825.00'	1'57'00"	28.08	S26*26'30"E	28.08'
C283	825.00'	3'36'00"	51.84	S23'40'00"E	51.83'
C284	825.00'	274'00"	32.16'	S20*45'00"E	32.16'
C306	70.00'	5'57'39"	7.28'	S30'23'49"E	7.28'

LEGEND	
[]	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M. G.M.	PERMANENT REFERENCE MONUMENT CONCRETE MONUMENT
	PERMANENT CONTROL POINT
P.C.P.	LICENSED BUSINESS
R.D.	RADIUS
Δ	CENTRAL ANGLE
7	ARC LENGTH
CB	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
	POINT OF COMPOUND CURVATURE POINT OF REVERSE CURVATURE
P.R.C. (NR)	NON-RADIAL
N/T	NON-TANGENT
C1	TABULATED CURVE DATA
11	TABULATED LINE DATA
R/W	RIGHT OF WAY
c/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
O.R.B.	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
(3)	SHEET REFERENCE NUMBER

PREPARED BY:

ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD

JACKSONVILLE, FL 32258 (904) 642-8550
CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

MATCHLINE SEE SHEET 15 201.01 R/W) MATCHLINE SEE SHEET 15 403 402 -N14°34'15"W 878.83' 328 N70'22'00"E 140.49 17.08'-400 -7.27' 329 N70.22'00"E 160.00' −N37'02'55"E 23.93' 33.66 399 330 N15'57'06"W 30.02'-N70.22,00 E C253-398 331 TRACT "Q" (STORMWATER MANAGEMENT FACILITY) WETLANDS 12 397 DRAINAGE, ACCESS & MAINTENANCE ESMT SECTION 332 N70.55,00 E 396 TRACT 4 333 (CONSERVATION AREA) N70'22'00"E 160.00 PALM BREEZE MITIGATION AREA O.R.B. 4094 PG. 180 UNPLATTED LANDS OF \_10' FPL-E 395 334 SECTION 12 -0.32' N51'33'45"W 28.97 TOWNSHIP 5 SOUTH B' DRAINAGE. RANGE 28 EAST EAST 335 28 29 394 RANGE

TRACT 7
(CONSERVATION AREA)

MATCHLINE SEE SHEET 13

## MAP BOOK 124 PAGE 14

SHEET 14 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		С	URVE TAE	RLE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C12	200.00'	39.27'12"	137.72'	N39*21'36"W	135.01
C93	170.00'	26'03'05"	77.30'	N32'39'33"W	76.63'
C95	25.00'	91'48'00"	40.06'	S2616'00"W	35.91'
C155	25.00'	41'02'32"	17.91'	N31'02'29"W	17.53'
C252	60.00'	91'48'00"	96.13'	S26'16'00"W	86.18'
C253	60.00'	12'04'03"	12.64'	S13*35'59"E	12.61'
C254	60.00'	29'34'10"	30.97'	50713'08"W	30.62'
C255	60.00'	16'53'06"	17.68'	S30'26'46"W	17.62'
C256	60.00'	3316'41"	34.85'	S55'31'39"W	34.36

	LINE TABLE	
LINE	BEARING	LENGTH
L39	S10'31'16"E	8.83'
L40	S10'31'13"E	10.13'
L41	S10'31'13"E	10.13'
L42	S70°22'00"W	25.32'
L43	N10'31'13"W	9.41'
L44	S70'22'00"W	25.32'

LEGEND	
□	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
	PERMANENT REFERENCE MONUMENT CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
	RADIUS
Δ	CENTRAL ANGLE
	ARC LENGTH
СB	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
	POINT OF TANGENCY
	POINT ON CURVE
	POINT OF COMPOUND CURVATURE
	POINT OF REVERSE CURVATURE
	NON-RADIAL
	NON-TANGENT
	TABULATED CURVE DATA
	TABULATED LINE DATA
	RIGHT OF WAY
C/L	CENTERLINE
M.B. PG	MAP BOOK PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER


25 50 100 GRAPHIC SCALE IN FEET 1"= 50'

393

PREPARED BY:
ETM SURVEYING & MAPPING. INC.

14775 OLD ST. AUGUSTINE ROAD
JACKSONVILLE, FL 32258 (904) 642–8550
CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



## MAP BOOK 124 PAGE 15

SHEET 15 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		C	URVE TAB	LE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C12	200.00'	39'27'12"	137.72'	N39'21'36"W	135.01
C13	200.00*	45'22'43"	158.40'	N36'23'51"W	154.29'
C14	500.00'	23'39'25"	206.45	N01'52'47"W	204.98'
C94	170.00'	13'24'07"	39.76'	N52'23'09"W	39.67'
C96	25.00'	84"13'24"	36.75'	S65'43'18"E	33.53'
C97	230.00'	3274'11"	129.41'	N39'43'41"W	127.71'
C98	230.00'	374'25"	13.01'	N57*27'59"W	13.01
C99	230.00'	6'07'48"	24.61'	S56'01'18"E	24.60'
C100	230.00'	9'43'14"	39.02'	S48'05'47"E	38.97*
C101	230.00	8'59'50"	36.12'	S38'44'15"E	36.08'
C102	230.00	8'59'50"	36.12'	S29*44*25"E	36.08'
C103	230.00'	8'59'50"	36.12'	S20°44'35"E	36.08'
C104	230.00'	2'32'11"	10.18'	S14'58'35"E	10.18'
C105	170.00'	45'22'43"	134.64'	S36"23'51"E	131.15'
C106	530.00'	177'39"	11.97*	S13'03'40"E	11.97'
C107	530.00'	4'07'50"	38.21	S10°20'55"E	38.20'
C108	530.00'	4'07'50"	38.21	S06'13'05"E	38.20'
C109	530.00'	4'07'50"	38.21'	S02'05'15"E	38.20'
C110	530.00'	4'07'50"	38.21	S02'02'35"W	38.20'
C111	530.00'	4'07'50"	38.21	S06'10'25"W	38.20'
C112	530.00	1'42'36"	15.82'	S09*05'38"W	15.82'
C113	470.00	23'39'25"	194.06'	S01'52'47"E	192.68'
C114	140.00'	33'41'55"	82.34	S42'14'14"E	81.16'
C115	440.00	23'34'49"	181.08'	S01'50'29"E	179.81'
C156	25.00'	36'01'38"	15.72'	N41"29'42"W	15.46'
C285	25.00'	50'32'39"	22.05	N80'21'23"E	21.35'

LEGEND	
	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNI ESS OTHERWISE NOTED
-	DENOTES FOUND P.R.M., 4"X4" C.M.
_	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
R	RADIUS CENTRAL ANGLE
A	ARC LENGTH
CB	CHORD BEARING
	CHORD DISTANCE
	POINT OF CURVATURE
PT	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
P.C.C.	POINT OF COMPOUND CURVATURE
	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
	NON-TANGENT
C1	TABULATED CURVE DATA
L1	TABULATED LINE DATA
	RIGHT OF WAY
C/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
FPL-E	
AE ESMT.	ACCESS EASEMENT EASEMENT
	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER

#### SEABROOK VILLAGE PHASE 2 BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA. UNPLATTED LANDS OF SECTION 6 — CONSERVATION FASEMENT RELEASE TOWNSHIP 5 SOUTH, RANGE 29 EAST O.R.B. 5537, PG. 96 DUE EAST 1169.37' 14.63'(ESMT) TRACT 3 CONSERVATION EASEMENT RELEASE O.R.B. 5537, PG. 96 UNPLATTED LANDS OF SECTION 1 (CONSERVATION AREA) WETLANDS TOWNSHIP 5 SOUTH, RANGE 28 EAST CONSERVATION EASEMENT PARCEL "B" 5892, PG. 1783 O.R.B. 3117, PG. 747 VARIABLE WIDTH UNDERGROUND FPL-E 976.85, SECTION 6 N89"12'31"E 224.51" SECTION 1 SECTION 7 SECTION 12 -JEA UTILITY EASEMENT : 0.R.B. 5892, PG. 1790 ADDDOVIMATE. TRACT 4 -20' UNOBSTRUCTED UNDERGROUND JEA UTILITY ESMT (CONSERVATION AREA) TRACT "T" CONSERVATION EASEMENT PARCEL "A" O.R.B. 3117, PAGE 747 (STORMWATER MANAGEMENT FACILITY) UNPLATTED LANDS OF DRAINAGE, ACCESS & MAINTENANCE ESMT SECTION 12 NATURAL VEGETATIVE UPLAND BUFFER TOWNSHIP 5 SOUTH RANGE 28 EAST 8' DRAINAGE, ACCESS & -MAINTENANCE 300 FSMT SHEET N80'03'04"W 22.51' 580'03'04"E C307 301 WETLANDS --N04°26°46"W 21.83° RADIUS SEE 298 CONSERVATION EASEMENT MATCHLINE PARCEL "A" O.R.B. 3117, PAGE 747 302 297 N80'03'04"W 184.95' 303 N 30'24'18"F 296 9.27 N80'03'04"W N39°24'18″E 3.49' 209.51 304 295 (RADIAL) 305 294 TRACT 6-S80°03'04"E N7315'04"W 28.69' SECTION 306 293 WETLANDS S80'03'04"E 2.83 -10' FPL-E 292 PALM BREEZE MITIGATION AREA NATURAL VEGETATIVE-UPLAND BUFFER 307 NO9'56'56"E -300.00' -BLIC 60' R/W) S80'03'04"E 120.00 REFLECTIONS , O.R.B. 4094 N80'03'04"W 123.86 PG. 180 TRACT 2 308 TRACT 4 (CONSERVATION AREA) 291 (CONSERVATION AREA) WETLANDS N80°03'04"W 116.00 12.89 N2678'24"E N2618'24"E -JURISDICTIONAL WETLAND LINE TRACT "S" (NEIGHBORHOOD PARK) MATCHLINE SEE SHEET 20 MATCHLINE SEE SHEET 15 GRAPHIC SCALE IN FEET

## MAP BOOK 124 PAGE 16

SHEET 16 OF 25 SHEETS


SEE SHEET 2 FOR NOTES


		С	URVE TAB	BLE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C15	375.00'	26'34'34"	173.94'	N23'14'13"E	172.38'
C116	405.00	0'35'34"	4.19'	S10'14'43"W	4.19'
C117	405.00'	5'20'00"	37.70'	S1312'30"W	37.69
C118	405.00'	5'20'00"	37.70'	S18'32'30"W	37.69*
C119	405.00'	5'20'00"	37.70'	S23'52'30"W	37.69'
C120	405.00'	1'41'13"	11.92'	S27'23'06"W	11.92'
C121	25.00'	42'33'40"	18.57*	N06'56'52"E	18.15'
C122	55.00'	12'39'12"	12.15'	S08'00'22"E	12.12'
C123	55.00'	40*26'56"	38.83'	S18*32'42"W	38.03'
C124	55.00'	46*39'38"	44.79'	S62'05'59"W	43.56
C125	55.00'	49'46'22"	47.78'	N69'41'01"W	46.29'
C126	55.00'	6518'50"	62.70'	N12'08'25"W	59.36'
C127	55.00'	55'01'50"	52.83'	N48'01'55"E	50.82'
C128	55.00'	2'55'34"	2.81	N77'00'36"E	2.81'
C129	25.00'	51'34'06"	22.50'	S52'41'20"W	21.75
C130	345.00'	3'56'36"	23.74'	S24'55'59"W	23.74'
C131	345.00	6'44'31"	40.60'	S19'35'26"W	40.57'
C132	345.00'	6'16'14"	37.76'	S13'05'03"W	37.74'
C157	25.00'	45'20'20"	19.78'	N16'44'09"E	19.27"
C235	25.00'	69'25'52"	30.30'	S72'02'00"W	28.48*
C236	25.00'	20.33'09"	8.97'	S47'35'38"W	8.92'
C237	25.00'	48'52'44"	21.33'	S8218'34"W	20.69'
C238	25.00'	18'09'40"	7.92'	S28'14'14"W	7.89'
C307	58.00*	30"27'01"	30.82	N84'43'25"E	30.46
C308	58.00'	30"27"01"	30.82	S64'49'33"E	30.46
C309	55.00'	14'30'12"	13.92'	N87'19'06"W	13.88'

LEGEND	
LEGEND	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624.
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED DENOTES P.C.P., STAMPED L.B.#3624.
	PERMANENT REFERENCE MONUMENT
C.M.	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
	LICENSED BUSINESS
R	RADIUS CENTRAL ANGLE
	ARC LENGTH
	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY POINT ON CURVE
P.O.C. P.C.C.	POINT ON CURVE POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
N/T	NON-TANGENT
	TABULATED CURVE DATA
L1	TABULATED LINE DATA
	RIGHT OF WAY
	CENTERLINE MAP BOOK
	PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
	EASEMENT
	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

UNPLATTED LANDS OF SECTION 6
TOWNSHIP 5 SOUTH, RANGE 29 EAST






SHEET 17 OF 25 SHEETS


SEE SHEET 2 FOR NOTES

		С	URVE TAE	RLE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C23	590.00'	73'46'18"	759.66'	N08'27'09"W	708.26
C188	565.00'	4'55'49"	48.62'	N11'38'41"W	48.60'
C189	565.00'	4'55'49"	48.62'	N16'34'30"W	48.60'
C190	565.00'	4'55'49"	48.62'	N21'30'19"W	48.60'
C191	565.00'	4*55'49"	48.62'	N26*26'08"W	48.60'
C192	565.00'	4'55'49"	48.62'	N31*21'57"W	48.60'
C193	565.00'	3'25'48"	33.82'	N35'32'45"W	33.82'
C194	25.00'	35'56'28"	15.68'	N5513'53"W	15.43'
C195	25.00'	43'39'25"	19.05'	S84'58'11"W	18.59'
C196	55.00'	52'03'43"	49.98'	N89"10'20"E	48.27'
C197	55.00'	42'47'40"	41.08'	S43'23'59"E	40.13'
C198	55.00'	72"28'13"	69.57'	S1473'57"W	65.02'
C199	55.00'	8471'39"	80.82	N87'26'07"W	73.74
C222	615.00'	3'35'00"	38.46	N32'07'10"W	38.46
C223	615.00'	3'35'00"	38.46'	N35'42'10"W	38.46'
C224	615.00'	5'25'20"	58.20'	N4012'20"W	58.18'
C225	615.00'	2'25'18"	25.99'	N44'07'39"W	25.99*

LEGEND	
•	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
_	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624, UNI ESS OTHERWISE NOTED
	DENOTES P.C.P., STAMPED L.B.#3624.
P.R.M.	PERMANENT REFERENCE MONUMENT
C.M.	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
1.B.	LICENSED BUSINESS
R	RADIUS
Δ	CENTRAL ANGLE
L	ARC LENGTH
	CHORD BEARING
	CHORD DISTANCE
P.C.	POINT OF CURVATURE
	POINT OF TANGENCY
	POINT ON CURVE POINT OF COMPOUND CURVATURE
	POINT OF COMPOUND CORVATURE POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
N/T	NON-TANGENT
	TABULATED CURVE DATA
LI	TABULATED LINE DATA
R/W	RIGHT OF WAY
c/i	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
O.R.B.	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER



BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



## MAP BOOK 124 PAGE 18

SHEET 18 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

			URVE TAE	BLE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C23	590.00'	73'46'18"	759.66'	N08'27'09"W	708.26*
C158	25.00'	62*42'37"	27.36'	N80'56'46"E	26.02'
C159	25.00'	9816'45"	42.88'	S12*56'10"E	37.82'
C216	615.00'	3'35'00"	38.46'	N08'49'30"W	38.46
C217	615.00'	4'28'50"	48.09*	N12'51'25"W	48.08'
C218	615.00"	4'28'50"	48.09'	N17'20'15"W	48.08'
C219	615.00'	3.35,00,	38.46'	N21*22'10"W	38.46'
C220	615.00'	3'35'00"	38.46	N24'57'10"W	38.46'
C221	615.00'	3'35'00"	38.46'	N28'32'10"W	38.46'
C293	745.00'	18'32'22"	241.06'	N14'14'45"W	240.01*
C295	745.00'	3'35'00"	46.59'	N08'49'30"W	46.59'
C296	745.00'	4"28'50"	58.26'	N12'51'25"W	58.24'
C297	745.00'	4'28'50"	58.26'	N17'20'15"W	58.24'
C298	745.00'	3*35'00"	46.59'	N21'22'10"W	46.59'
C299	745.00	0'21'16"	4.61'	N23'20'18"W	4.61'
C300	50.00'	69'23'19"	60.55	S11'10'44"W	56.92'
C301	50.00'	60'21'19"	52.67'	S06'39'44"W	50.27'
C302	50.00'	9'02'00"	7.88'	S41°21'23"W	7.87

LEGEND	
□	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
_	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
P.R.M. C.M.	CONCRETE MONUMENT
P.G.P.	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
R.D.	RADIUS
Δ	CENTRAL ANGLE
7	ARC LENGTH
CB	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
P.C.C.	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
N/T	NON-TANGENT
C1	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
C/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
O.R.B.	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER

100

GRAPHIC SCALE IN FEET 1"= 50"

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

#### MATCHLINE SEE SHEET 18 N82'58'00"E 130.00' S81:53'03"F S05'44'51"E 39.10'~ DRAINAGE, ACCESS & MAINTENANCE ESMT 25.75 \$77:34'13"W 6.97 253 25' S05'44'51"E DRAINAGE ACCESS & 20.60 20 N86'33'00"E 133.67 APPROXIMATE-(RADIAL) SHEET S47'01'08"W 252 S89'52'00"E 133.02 SEE 251 UNPLATTED LANDS OF S41'44'41"E 10.81' 334°22'34°W 170,23'MD MATURAL KEETAME IPP.AND SECTION 7 MATCHLINE S86"17'00"E 130.28 N5918'47"E 20.12' TOWNSHIP 5 SOUTH (RADIAL) RANGE 29 EAST - JURISDICTIONAL TRACT 1 WETLAND LINE (CONSERVATION AREA) AVENUE 50' R/W) TRACT "V" (STORMWATER MANAGEMENT FACILITY & NEIGHBORHOOD PARK) N60'56'35"E DAWES (PUBLIC ! WETLANDS 50419'55"W S67'28'28"E 250 534'03'18"W APPROXIMATE-TOP OF BANK -S6319'37"E 31.16' / 248 JURISDICTIONAL WETLAND LINE TRACT "W" (STORMWATER MANAGEMENT FACILITY) TRACT 9 DRAINAGE, ACCESS & MAINTENANCE ESMT 20 B' DRAINAGE, ACCESS & MAINTENANCE ESMT 247 SHEET -C/L 30' DRAINAGE ESMT S88'45'50"E 140.03' C232-SEE DRIVE (RADIAL) TRACT 1 (CONSERVATION AREA) AREA) MATCHLINE RECOLLECTION 1 WETLANDS 246 (PUBLIC N86'20'00"W 150.00 245 25' 11.88 C228-63.68 N86'20'00"W 132.86 S88'54'40"W

MATCHLINE SEE SHEET 22

## MAP BOOKIZY PAGE 19

SHEET 19 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

		C	URVE TAB	LE	
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C20	150.00	65'14'00"	170.78'	N28'57'00"W	161.70'
C21	590.00'	117'30'18"	1210.00'	N13'24'51"E	1008.82
C23	590.00'	73'46'18"	759.66'	N08'27'09"W	708.26'
C160	25.00'	72'35'10"	31.67'	N80'22'47"E	29.60'
C169	175.00'	2'25'50"	7.42'	N02"27'05"E	7.42'
C170	175.00'	20'06'30"	61.42"	N08'49'05"W	61.10'
C171	175.00'	15*48'30"	48.28'	N26'46'35"W	48.13'
C172	175.00'	15'48'30"	48.28'	N42*35'05"W	48.13'
C173	175.00'	11'04'40"	33.84	N56'01'40"W	33.78'
C210	25.00'	85'31'09"	37.31'	S18'48'25"E	33.95'
C211	615.00'	1070'16"	109.18'	N18'52'01"E	109.03'
C212	615.00'	10'03'53"	108.03'	N08'44'56"E	107.89
C213	615.00'	3'35'00"	38.46'	N01'55'30"E	38.46'
C214	615.00'	3'35'00"	38.46'	N01*39'30"W	38.46
C215	615.00'	3'35'00"	38.46'	N05'14'30"W	38.46
C226	25.00'	52'36'18"	22.95'	S30'20'02"W	22.16'
C228	25.00'	2875'42"	12.33'	S42'30'20"W	12.21'
C229	25.00'	68'58'18"	30.09'	N88'52'40"W	28.31'
C230	50.00'	34'56'01"	30.49'	S16'30'27"E	30.02'
C231	50.00'	33'11'21"	28.96'	S17*22'47"E	28.56'
C232	50.00'	1'44'40"	1.52'	S00'05'13"W	1.52'
C233	315.00'	7*46'43"	42.76'	N02'55'48"W	42.73'
C234	50.00'	49'00'57"	42.77'	S17'41'19"W	41.48'
C290	60.00'	27'57'55"	29.29'	S18'57'31"E	29.00'
C291	60.00'	8'33'30"	8.96'	S28'39'44"E	8.95'
C292	60.00'	19'24'26"	20.32'	S14*40'46"E	20.23'
C294	745.00'	2'03'27"	26.75'	N06'00'17"W	26.75'

LEGEND	
□	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
R	RADIUS
Δ	CENTRAL ANGLE
L	ARC LENGTH
CB	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
P.C.C.	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL

LEGEND

AS DISTRICTS

ARAL ANGLE
LENGTH

D BEARING

D DISTANCE

O FORWATURE

O F TANGENCY

O FO COMPOUND CURVATURE

FO F COMPOUND CURVATURE

RADIAL NON-TANGENT TABULATED CURVE DATA TABULATED LINE DATA TABULATED LINE DATA
RIGHT OF WAY
CENTERLINE
MAP BOOK
PAGE
OFFICIAL RECORDS BOOK

FPL-E AE ESMT. NAVD

OFFICIAL RECORDS BOOK FLORIDA POWER & LIGHT EASEMENT ACCESS EASEMENT EASEMENT NORTH AMERICAN VERTICAL DATUM STREET NAME CHANGE POINT MATCHLINE SHEET REFERENCE NUMBER

PREPARED BY:



SEABROOK VILLAGE PHASE 2

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.

## MATCHLINE SEE SHEET 17 MATCHLINE SEE SHEET 16 −N06'42'47"W 3.35' N85'45'03"E 161.34 (RADIAL) 273 89'19'08"E 168.66' (RADIAL) 274 JURISDICTIONAL-WETLAND LINE NATURAL VEGETATIVE UPLAND BUFFER 276 TRACT 2 SHEET (CONSERVATION AREA) 277 SHEET WETLANDS SEE 278 SEE MATCHLINE MATCHLINE N00'30'41"W 26.78 281 282 67.78' N8779'51 412 283 284 410 286 TRACT "X" (NEIGHBORHOOD PARK) MATCHLINE SEE SHEET 21 C/L 10' DRAINAGE ESMT-

# MAP BOOK 124 PAGE 20

SHEET 20 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C20	150.00'	65'14'00"	170.78'	N28'57'00"W	161.70'
C21	590.00'	117'30'18"	1210.00'	N13°24'51"E	1008.82
C22	590.00'	43'44'00"	450.34'	N5018'00"E	439.49'
C23	590.00'	73'46'18"	759.66'	N08'27'09"W	708.26'
C167	125.00'	12'46'42"	27.88'	N02°43'21"W	27.82
C168	125.00'	52'27'18"	114.44	N35'20'21"W	110.48
C174	565.00*	618'00"	62.12"	N69°01'00"E	62.09'
C175	565.00'	648'00"	62.12"	N62'43'00"E	62.09'
C176	565.00'	618'00"	62.12'	N56"25'00"E	62.09'
C177	565.00'	678'00"	62.12'	N50°07'00"E	62.09'
C178	565.00	678'00"	62.12*	N43'49'00"E	62.09"
C179	565.00"	648'00"	62.12	N37*31*00"E	62.09"
C180	565.00'	678'00"	62.12	N31"13'00"E	62.09'
C181	565.00'	618'00"	62.12'	N24'55'00"E	62.09'
C182	565.00'	617'41"	62.07'	N18'37'10"E	62.04'
C183	565.00'	4'55'49"	48.62'	N13'00'25"E	48.60'
C184	565.00'	4'55'49"	48.62'	N08'04'35"E	48.60'
C185	565.00'	4'55'49"	48.62'	N03'08'46"E	48.60'
C186	565.00	4'55'49"	48.62'	N01'47'03"W	48.60'
C187	565.00'	4'55'49"	48.62'	N06'42'52"W	48.60'
C206	615.00'	4'28'40"	48.06'	N44*29'00"E	48.05
C207	615.00	4"28'40"	48.06'	N40'00'20"E	48.05
C208	615.00'	4'51'09"	52.09'	N35'20'25"E	52.07'
C209	25.00'	85'31'09"	37.31'	S75'40'25"W	33.95'
C286	25.00'	74'54'27"	32.68'	N36'56'32"E	30.41'
C287	25.00'	36'41'24"	16.01	N56'03'04"E	15.74'
C288	25.00'	3813'03"	16.68*	N18'35'50"E	16.37'
C289	25.00'	28'43'46"	12.54	N24'34'05"E	12.40'


<u> </u>	DENOTES SET P.R.M., 4 X4 C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
C.M.	CONCRETE MONUMENT
P.C.P.	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
R	RADIUS
£	CENTRAL ANGLE
	ARC LENGTH
CB	CHORD BEARING
	CHORD DISTANCE
P.C.	POINT OF CURVATURE
	POINT OF TANGENCY
	POINT ON CURVE
	POINT OF COMPOUND CURVATURE
	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
N/T	NON-TANGENT
C1	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
C/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
3	SHEET REFERENCE NUMBER

PREPARED BY:

ETM SURVEYING & MAPPING, INC. 14775 OLD ST. AUGUSTINE ROAD JACKSONVILLE, FL 32258 (904) 642-8550 CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

GRAPHIC SCALE IN FEET 1"= 50"

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



## MAP BOOK 124 PAGE 7.1

SHEET 21 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C19	200.00'	13'44'00"	47.94'	N0312'00"W	47.82'
C22	590.00'	43'44'00"	450.34'	N5018'00"E	439.49'
C163	225.00'	2'09'00"	8.44	S08'59'30"E	8.44
C164	225.00'	11'35'00"	45.49'	S02'07'30"E	45.41'
C200	615.00'	0'32'40"	5.84'	N71'53'40"E	5.84'
C201	615.00	5'44'00"	61.54	N68*45'20"E	61.51
C202	615.00'	5'44'00"	61.54	N63'01'20"E	61.51
C203	615.00'	4'28'40"	48.06'	N57*55'00"E	48.05'
C204	615.00'	4'28'40"	48.06	N53*26'20"E	48.05'
C205	615.00'	4'28'40"	48.06'	N48'57'40"E	48.05
C257	745.00'	13'14'00"	172.07'	N65'33'00"E	171.69'
C258	745.00'	0'32'40"	7.08	N71'53'40"E	7.08'
C259	745.00'	5'44'00"	74.55	N68'45'20"E	74.52'
C260	745.00	5'44'00"	74.55	N63'01'20"E	74.52
C261	745.00'	1'13'20"	15.89	N59'32'40"E	15.89'
C262	60.00'	124'44'00"	130.62	N58'42'00"W	106.31
C263	60.00'	46'22'39"	48.57	S82'07'19"W	47.25'
C264	60.00'	10'19'11"	10.81	N69'31'46"W	10.79
C265	60.00'	30'24'30"	31.84	N49'09'56"W	31.47'
C266	60.00'	37'37'41"	39.40'	N15'08'50"W	38.70'
C267	355.00'	13'44'00"	85.09	S0312'00"E	84.89
C268	355.00'	11'35'00"	71.77'	S02'07'30"E	71.65
C269	355.00'	2'09'00"	13.32'	S08'59'30"E	13.32'
C271	60.00'	11'32'00"	12.08'	N0418'00"W	12.06'

LEGEND

DEMOTES SET P.R.M., 4"X4" C.M.
STAMED L.B., \$482A,
UNLESS OTHERD L.B., \$482A,
UNLESS OTHERS NOTED
DEMOTES FOUND, P.R.M., 4"X4" C.M.
STAMED L.B., \$202A, 00TED
DEMOTES P.C.P., STAMED L.B., \$462A,
DEMOMENT D.B., \$460A,
DEMOMENT D.B., \$460A,
DEMOMENT D.B., \$460A,
DEMOTES P.C., \$460A,
DEMO <u></u>


NON-TANGENT TABULATED CURVE DATA TABULATED LINE DATA R/W C/L M.B. PG. O.R.B. TABULATED LINE DATA
RIGHT OF WAY
CENTERLINE
MAP BOOK
PAGE
OFFICIAL RECORDS BOOK
FLORIDA POWER & LIGHT EASEMENT

FPL-E AE ESMT. NAVD ACCESS EASEMENT EASEMENT NORTH AMERICAN VERTICAL DATUM

STREET NAME CHANGE POINT

MATCHLINE SHEET REFERENCE NUMBER 3

GRAPHIC SCALE IN FEET



PREPARED BY:


ETM SURVEYING & MAPPING, INC.

14775 OLD ST. AUGUSTINE ROAD


JACKSONVILLE, FL 32258 (904) 642–8550

CERTIFICATE OF AUTHORIZATION NO. L.B. 3624

GRAPHIC SCALE IN FEET



BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



## MAP BOOK 124 PAGE 24

SHEET 24 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C8	800.00'	12'25'00"	173.37'	N40'39'30"W	173.03'
C9	500.00'	36'48'00"	321.14'	N28'28'00"W	315.65
C17	500.00'	19*30'00"	170.17'	S24'42'00"E	169.35'
C45	460.00'	36'48'00"	295.45	S28'28'00"E	290.40'
C46	425.00'	22'46'22"	168.92'	S26'02'20"E	167.81
C49	760.00'	12"25'00"	164.70'	N40'39'30"W	164.38'
C50	740.00'	12'25'00"	160.37	N40*39'30"W	160.05'
C75	525.00'	19'30'00"	178.68'	N24'42'00"W	177.82
C76	560.00'	19'30'00"	190.59'	N24*42'00"W	189.67
C80	25.00'	31'07'27"	13.58'	S23'24'59"W	13.41'
C150	25.00'	62'08'32"	27.11'	N4516'13"E	25.81
C304	25.00'	31"29'54"	13.74'	S30'55'33"W	13.57
C305	840.00'	12'25'00"	182.04	N40'39'30"W	181.68'
C310	460.00'	2'29'29"	20.00'	N20'16'04"W	20.00'
C311	460.00	25'21'12"	203.55	N34"11"24"W	201.89




	LINE TABLE	
LINE	BEARING	LENGTH
L27	S43'08'00"W	35.00'
L28	S46'52'00"E	27.96'
L29	S69*45'17"W	8.34'
L30	S07'51'15"W	13.33'
L35	N57'26'16"E	27.85'
L36	N61'01'41"E	34.20'
L37	N76"20'29"E	27.83*
L38	S51'09'28"E	31.88'
L55	N69'43'56"E	20.00'
L56	S2016'04"E	20.00*
L57	S69*43'56"W	20.00'

LEGEND	
El	DENOTES SET P.R.M., 4"X4" C.M.
_	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624,
P.R.M.	PERMANENT REFERENCE MONUMENT
	CONCRETE MONUMENT
	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
	RADIUS
A	CENTRAL ANGLE
	ARC LENGTH
	CHORD BEARING
	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T. P.O.C.	POINT OF TANGENCY
P.O.C.	POINT ON CURVE
	POINT OF COMPOUND CURVATURE
	POINT OF REVERSE CURVATURE NON-RADIAL
(NR)	
N/T	NON-TANGENT
	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
C/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
	OFFICIAL RECORDS BOOK
	FLORIDA POWER & LIGHT EASEMENT
	ACCESS EASEMENT
	EASEMENT
	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
(3)	SHEET REFERENCE NUMBER
-	

PREPARED BY:

BEING A PORTION OF SECTION 12, TOWNSHIP 5 SOUTH, RANGE 28 EAST TOGETHER WITH A PORTION OF SECTIONS 6, 7 AND 18, TOWNSHIP 5 SOUTH, RANGE 29 EAST, ST. JOHNS COUNTY, FLORIDA.



LINE TABLE				
LINE	BEARING	LENGTH		
L33	N78'25'07"W	19.47'		
L34	N31'45'00"W	35.67'		
L35	N57*26'16"E	27.85'		
L36	N61°01'41"E	34.20'		
L37	N76"20'29"E	27.83'		
L38	S51'09'28"E	31.88'		



# MAP BOOKIZYPAGE 25

SHEET 25 OF 25 SHEETS

SEE SHEET 2 FOR NOTES

CURVE TABLE					
CURVE	RADIUS	CENTRAL ANGLE	ARC LENGTH	CHORD BEARING	CHORD DISTANCE
C7	1000.00*	9'33'00"	166.68'	N29'40'30"W	166.49'
C43	1040.00'	9'33'00"	173.35'	N29'40'30"W	173.15'
C44	1065.00'	9.33'00"	177.51'	N29'40'30"W	177.31'
C48	960.00'	9.33'00"	160.01'	N29'40'30"W	159.83'
C141	25.00'	84'32'58"	36.89'	S5918'24"W	33.63'
C142	50.00'	80'57'53"	70.66'	S81'16'04"E	64.92'
C143	50.00'	80'41'03"	70.41'	S81*24'29"E	64.73'
C144	50.00'	016'50"	0.24'	S40'55'32"E	0.24'
C145	195.00'	1417'02"	48.61'	N47'55'38"W	48.49*
C146	60.00'	40'07'09"	42.01'	S35'00'35"E	41.16'
C147	60.00'	21'05'40"	22.09'	S44'31'19"E	21.97'
C148	60.00'	19'01'29"	19.92'	S24*27'44"E	19.83'
C149	50.00'	4718'52"	41.29'	S08'42'26"W	40.13'
C150	25.00'	62'08'32"	27.11'	N45'16'13"E	25.81"

LEGEND	
·	DENOTES SET P.R.M., 4"X4" C.M.
	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
	DENOTES FOUND P.R.M., 4"X4" C.M.
_	STAMPED L.B.#3624,
	UNLESS OTHERWISE NOTED
•	DENOTES P.C.P., STAMPED L.B.#3624
P.R.M.	PERMANENT REFERENCE MONUMENT
C.M.	CONCRETE MONUMENT
P.C.P.	PERMANENT CONTROL POINT
L.B.	LICENSED BUSINESS
R	RADIUS
Δ	CENTRAL ANGLE
L	ARC LENGTH
	CHORD BEARING
CH	CHORD DISTANCE
P.C.	POINT OF CURVATURE
P.T.	POINT OF TANGENCY
	POINT ON CURVE
	POINT OF COMPOUND CURVATURE
P.R.C.	POINT OF REVERSE CURVATURE
(NR)	NON-RADIAL
N/T	NON-TANGENT
C1	TABULATED CURVE DATA
L1	TABULATED LINE DATA
R/W	RIGHT OF WAY
C/L	CENTERLINE
M.B.	MAP BOOK
PG.	PAGE
	OFFICIAL RECORDS BOOK
FPL-E	FLORIDA POWER & LIGHT EASEMENT
AE	ACCESS EASEMENT
ESMT.	EASEMENT
NAVD	NORTH AMERICAN VERTICAL DATUM
	STREET NAME CHANGE POINT
	MATCHLINE
(3)	SHEET REFERENCE NUMBER
9	COLET ALIENSTOL HOMDEN

PREPARED BY: